

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(ralph NEAR2 wolber).in.	US-PGPUB	OR	ON	2005/04/11 08:24
S2	9	"4054860".pn. "6223571".pn. "3988710".pn. "6198275".pn. "6188332".pn. "5705871".pn. "5742160".pn. "5644225".pn. "4095179".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 10:25
S3	1	"5021736".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:19
S4	2698	324/207.2,207.21,207.25,207.23. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:20
S5	1034	33/1N,1PT.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:20
S6	21	S4 AND S5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:20
S7	3711	S4 OR S5	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:20
S8	1	S7 AND "20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/07 17:21
S9	2615	S7 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 08:23
S11	2698	324/207.2,207.21,207.25,207.23. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 08:23
S12	1034	33/1N,1PT.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 08:23
S13	3711	S11 OR S12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 08:23

S14	2615	S13 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:27
S15	219	S14 AND rotor and stator	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 08:23
S16	979	324/207.12,207.13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 15:12
S17	186	341/35.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 09:13
S18	1001	200/564,565,19.07.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 09:14
S19	5563	S13 S16 S17 S18	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 09:14
S20	3459	S19 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:17
S21	2421	S20 AND (rotary OR rotat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 09:15
S22	1155	S21 AND magnet	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:28
S23	637	S21 AND magnet AND hall	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 09:17
S24	1	("5592079").URPN.	USPAT	OR	ON	2005/04/08 10:15
S25	11	("3139600" "4054860" "4054861" "4199741" "4415856" "4459578" "4789826" "4970463" "5115194" "5380965").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 10:15
S26	8	("3139600").URPN.	USPAT	OR	ON	2005/04/08 10:17

S27	27	("3185920" "3317829" "3499133" "3671874" "3818326" "3891143").PN. OR ("4054860").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 10:34
S28	19	("3162804" "3304530" "3671854" "3671874" "3777273" "3900814" "4054860").PN. OR ("4425557").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 10:50
S29	388	S22 NOT S23	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 10:50
S30	230	S18 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 15:13
S31	43	(US-20040257068-\$).did. or (US-3988710-\$ or US-4054860-\$ or US-4095179-\$ or US-5644225-\$ or US-5705871-\$ or US-5742160-\$ or US-6188332-\$ or US-6198275-\$ or US-6223571-\$ or US-6252394-\$ or US-6242909-\$ or US-6155106-\$ or US-6518753-\$ or US-6486764-\$ or US-6479987-\$ or US-6414482-\$ or US-6407543-\$ or US-6396259-\$ or US-6380733-\$ or US-6316935-\$ or US-6268722-\$ or US-6201389-\$ or US-5818223-\$ or US-5686835-\$ or US-5592079-\$ or US-5380965-\$).did. or (US-4415856-\$ or US-3139600-\$ or US-5512820-\$ or US-5497081-\$ or US-5198795-\$ or US-5196821-\$ or US-5196794-\$ or US-4893502-\$ or US-4642496-\$ or US-4283679-\$ or US-4425557-\$ or US-6867680-\$ or US-6411082-\$ or US-6445178-\$).did. or (GB-2267154-\$).did. or (JP-59027220-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/08 14:16
S32	20	S31 AND adjust\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 14:16
S33	11	("3139600" "4054860" "4054861" "4199741" "4415856" "4459578" "4789826" "4970463" "5115194" "5380965").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 14:50
S34	3	("3988710" "4054860" "4283679").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/08 15:01

S35	10	("4415856").URPN.	USPAT	OR	ON	2005/04/08 15:03
S36	10	("4199741").URPN.	USPAT	OR	ON	2005/04/08 15:10
S37	1844	338/32R,32H.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 15:12
S38	1299	S37 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 15:14
S39	500	S38 AND (rotary or rotat\$3 or rotational or angular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:41
S40	8	("3139600").URPN.	USPAT	OR	ON	2005/04/08 15:46
S41	45	circuit AND "stamped grid"	USPAT	OR	ON	2005/04/08 15:58
S42	18	S31 And plastic	USPAT	OR	ON	2005/04/08 16:16
S43	87	marquardt.as.	USPAT	OR	ON	2005/04/08 16:16
S44	441	marquardt.as.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:16
S45	4118	S19 AND @pd<="20000223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:17
S46	260	S44 AND @pd<="20000223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:17
S47	59	S22 And (adjust SAME magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:42
S48	408	200/336.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:45
S49	27	200/336.ccls. AND appliance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/08 16:46
S50	3	("6288351").URPN.	USPAT	OR	ON	2005/04/08 16:48
S51	2698	324/207.2,207.21,207.25,207.23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:25

S52	1034	33/1N,1PT.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:25
S53	3711	S51 OR S52	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:25
S54	979	324/207.12,207.13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:25
S55	186	341/35.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:25
S56	1001	200/564,565,19.07.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 14:33
S57	5563	S53 S54 S55 S56	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S58	1844	338/32R,32H.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:40
S59	408	200/336.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:40
S60	492	S59 S58 S57	US-PGPUB	OR	ON	2005/04/11 08:26
S61	492	S59 OR S58 OR S57	US-PGPUB	OR	ON	2005/04/11 08:26
S62	6541	S59 OR S58 OR S57	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/11 08:27
S63	4686	S62 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 11:05
S64	396	S63 AND calibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 08:53
S65	1	("6396259").URPN.	USPAT	OR	ON	2005/04/11 08:39

S66	18	("4589676" "4614247" "4789826" "4809957" "4822063" "5365168" "5484162" "5497081" "5544000" "5777471" "5789917" "6098967" "6252394" "6316935" "6323643" "6356073" "6367337" "6396259").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 08:40
S67	5	("5159268" "5332965" "5497081" "5757181" "6011422").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 08:45
S68	85	S63 AND calibrat\$3 AND ((rotat\$3 or adjust) WITH magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:27
S69	9	("3483410" "3530317" "3713015" "4570118" "4984474" "5164668").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 09:07
S70	13	("5627465").URPN.	USPAT	OR	ON	2005/04/11 09:13
S71	4	("4782293" "5164668" "5332965" "5500589").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 09:17
S72	5	("5644225").URPN.	USPAT	OR	ON	2005/04/11 09:17
S73	45	S63 AND ((adjust) WITH magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:34
S74	41	S63 AND appliance	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:42
S75	8	S63 AND "latching position"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:52
S76	0	S63 AND "latching hooks"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:52
S77	173	S63 AND "latches"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:55
S78	3	S63 AND (stator SAME rotor SAME (tab or latch))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 09:56

S79	257	S63 AND (stator SAME rotor)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:31
S80	0	S63 AND (stator SAME rotor SAME hooks)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:31
S81	0	S63 AND (stator SAME rotor SAME hook)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:31
S82	65	S63 AND (hook)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:31
S83	56	(US-20040257068-\$).did. or (US-3139600-\$ or US-3988710-\$ or US-4054860-\$ or US-4095179-\$ or US-4283679-\$ or US-4415856-\$ or US-4425557-\$ or US-4642496-\$ or US-4789826-\$ or US-4893502-\$ or US-5196794-\$ or US-5196821-\$ or US-5198795-\$ or US-5380965-\$ or US-5497081-\$ or US-5512820-\$ or US-5592079-\$ or US-5644225-\$ or US-5686835-\$ or US-5705871-\$ or US-5742160-\$ or US-5818223-\$ or US-6155106-\$ or US-6188332-\$ or US-6198275-\$ or US-6201389-\$).did. or (US-6223571-\$ or US-6242909-\$ or US-6252394-\$ or US-6268722-\$ or US-6316935-\$ or US-6373241-\$ or US-6380733-\$ or US-6396259-\$ or US-6407543-\$ or US-6411082-\$ or US-6414482-\$ or US-6445178-\$ or US-6479987-\$ or US-6486764-\$ or US-6518753-\$ or US-6720513-\$ or US-6866018-\$ or US-6509732-\$ or US-6703828-\$ or US-5627465-\$ or US-6411081-\$ or US-6288351-\$ or US-6201200-\$ or US-4970512-\$ or US-4843196-\$ or US-6404354-\$).did. or (GB-2267154-\$ or DE-3702819-\$). did. or (JP-59027220-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/11 17:05
S84	21	S83 AND plastic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:58

S85	345	S63 AND (tool or screwdriver)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:58
S86	83	S63 AND (tool or screwdriver) AND adjust	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 10:58
S87	271	324/202.ccls. AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 14:33
S88	106	324/202.ccls. AND @ad<="20010223" AND (rotary OR rotation\$2 OR rotate OR angular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 11:06
S89	33	("5497081").URPN.	USPAT	OR	ON	2005/04/11 11:25
S90	35	S56 AND S59	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 14:33
S91	1374	S56 OR S59	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 14:33
S92	368	S91 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 16:00
S93	55	S91 AND @ad<="20010223" AND snap	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 15:26
S94	166	324/229.ccls. AND coil AND "C"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 15:08
S95	154	S94 and THICKNESS	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 15:08
S96	10547141	S94 and THICKNESS @ad<="20000101"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 15:08
S97	7	S91 AND @ad<="20010223" AND snap-action	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 15:29

S98	20	S91 AND @ad<="20010223" AND latch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 17:16
S99	9	("2978549" "3367206" "3511956" "3794794" "5401925" "5541379").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 15:30
S100	10	("3511956").URPN.	USPAT	OR	ON	2005/04/11 15:35
S101	1006	S91 NOT S92	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 16:00
S102	8	("5008498" "5315077" "5650601" "6037856" "6236002" "6262378" "6374696" "6384357").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 16:48
S103	1	"6365424".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/11 16:48
S104	25	S83 and mold\$3	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/11 17:08
S105	6	S83 and (mold\$3 SAME plastic)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/11 17:15
S106	432	(stator SAME rotor SAME snap\$)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/04/11 17:15
S107	331	S106 AND @ad<="20010223"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/04/11 17:16
S108	2853	324/207.2,207.21,207.25,207.23.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S109	1059	33/1N,1PT.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S110	3891	S108 OR S109	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S111	1013	324/207.12,207.13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39

S11 2	191	341/35.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S11 3	1005	200/564,565,19.07.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 13:39
S11 4	5772	S110 S111 S112 S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:39
S11 5	1848	338/32R,32H.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:40
S11 6	418	200/336.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:40
S11 7	7750	S114 S115 S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 13:41
S11 8	4638	S117 AND (rotary or rotat\$3 or rotational or angular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:37
S11 9	408	S118 AND ((printed ADJ (wiring circuit) ADJ board) OR (PCB PWB))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:36
S12 0	2152	324/207.2,207.25.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 15:36
S12 1	1776	324/207.2,207.25.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/03 15:36
S12 2	233	S121 AND ((printed ADJ (wiring circuit) ADJ board) OR (PCB PWB))	US-PGPUB; USPAT	OR	ON	2005/11/03 15:36

S12 3	207	S122 AND (rotary or rotat\$3 or rotational or angular)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:37
S12 4	148	S122 AND (rotary or rotat\$3 or rotational or angular) AND hall	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:37
S12 5	90	S122 AND (rotary or rotat\$3 or rotational or angular) AND hall. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:38
S12 6	80	S122 AND (rotary or rotat\$3 or rotational or angular) AND hall. clm. AND magnet.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/11/03 15:38